

MHF®-SW23 PLUG

Part No. Plug:20851-001R RF switch:20549-001E-**

Test Report

Product Specification no. PRS-2522

2	T23011	March 6, 2023	H. Takao	K. Tanaka	Y. Hashimoto
1	T19036	March 6, 2019	H. Takahashi	T. Yamauchi	T. Hirakawa
0	T18127	November 8, 2018	Y. Nakagawa	T. Yamauchi	K. Yotsutani
Rev.	ECN	Date	Prepared by	Checked by	Approved by

Confidential C I-PEX Inc. QKE-DFFDE07-07 REV.10

MHF-SW23 PLUG Test Report

.1. Purpose

To evaluate the performance of MHF-SW23 PLUGConnector in accordance with PRS-2522.

2. Specimen

(1) MHF-SW23 PLUG (Part No: 20851-001R)

Cable: FRF-MF50161 AWG#32 coaxial cable (Jacket diameter 1.13 mm)

「SY-113/50」 AWG#32 coaxial cable (Jacket diameter 1.13 mm)

※Group B and E were tested using 「RF-MF 50161」 and 「SY-113/50」.

(2) MHF-SW23 SWITCH (Part No: 20549-001E-**)

3. Test Sequence

All the evaluations were performed in accordance with Table 1. Test Sequence.

4. Result

See Table 2-1 to 2-3, Graph 1 to 9. For the details of the testing conditions and requirements, see PRS-2522. The "n" in the tables show the number of measurement points.

5. Conclusion

All the specimens met the requirements of PRS-2522.

Table 1 Test Sequence and Sample Quantity

Test Item						Group					
iest item	Α	В	С	D	E	F	G	Н	J	K	L
Contact resistance				1,3		1,3,5	1,3	1,3	1,3	1,3	
Insulation resistance	1						4	4	4	4	
Dielectric withstanding Voltage	2										
VSWR		1									
Unmating force			1								
Durability				2							
Cable retention force					1						
Vibration						2					
Shock						4					
Thermal shock							2				
Dry heat								2			
Cold									2		
Humidity (Steady State)										2	
Saltwater spray											1
Specimen quantity.	5	5	5	5	5	5	5	5	5	5	5

XNumbers indicate test sequences

Table 2-1 Test Result

Group	Test items	Chacification	n	Unit		Data		Judgement				
	Measurements	Specification	n	Utill	AVE.	MAX.	MIN.	Juugement				
Α	Insulation residence	e										
		1000M Ω MIN.	5	МΩ	10,000M	Ω MIN.		Pass				
	Dielectric withstanding voltage											
	Spec: No creep	Spec: No creeping discharge, flashover, no insulator breakdown shall occur.										
	After testing	-	5	-	No abnor	mality		Pass				
	1											
В	VSWR											
	Cable [RF-MF 50161]											
	0.1~3.0GHz	1.4 MAX.	5	-	1.201	1.21	1.19	Pass				
	3.0∼6.0GHz	1.6 MAX.		-	1.203	1.24	1.19	Pass				
	Cable [SY-113/50]											
	0.1~3.0GHz	1.4 MAX.	5	-	1.316	1.33	1.30	Pass				
	3.0∼6.0GHz	1.6 MAX.		-	1.428	1.45	1.40	Pass				
С	Unmating force											
	Initial	5 N MIN.	5	N	10.44	11.5	9.9	Pass				
	After 30 cycles	3 N MIN.		.,	7.68	8.0	7.4	Pass				
_	la un											
D	Durability											
	Contact resistance	1			22.22	T 22 4	T 22.4	T 5				
	Initial	100mΩ MAX.	5	mΩ	22.23	22.4	22.1	Pass				
	After testing	100mΩ MAX.			22.30	23.0	22.0	Pass				
	Contact resistance				6.24	T = 0	T 6.0	Τ				
	Initial	100mΩ MAX.	5	mΩ	6.34	7.0	6.0	Pass				
	After testing	100mΩ MAX.			6.12	6.4	6.0	Pass				
Е	Cable Retention Ford	<u> </u>										
_	Cable [RF-MF 50		5	N	34.80	35.8	33.9	Pass				
	555.5	10 14 1 11141			3	1 33.3	55.5	1 433				

32.32

34.9

31.0

Pass

Cable 「SY-113/50」

10 N MIN.

Table 2-2 Test Result

Group	Test items	items	Chacification	2	Unit		Data		Judgement
		Measurements	Specification	n	Offic	AVE.	MAX.	MIN.	Judgement
F	Vibra	ition, Shock							
	Con	tact resistance of m	nain contact						
		Initial	100m $Ω$ MAX.	5	mΩ	18.76	19.1	18.5	Pass
		After testing	100m $Ω$ MAX.	Э		21.66	23.4	20.7	Pass
	Contact resistance of ground contact								
		Initial	100m $Ω$ MAX.	5	mΩ	6.92	7.1	6.6	Pass
		After testing	100m $Ω$ MAX.	5	11175	8.26	8.8	7.6	Pass
	Elec	ctrical discontinuity							
		Spec: No electrical	discontinuity g	rater tha	an 1µs s	hall occur.	ı		
		During testing	-	5	ı	No discor	ntinity		Pass
	App	earance							
		Spec: No abnormal	ity adversely a	ffecting	the perf	ormance s	shall occ	ur.	
		After testing	-	5	-	No abnor	mality		Pass

G	Ther	mal shock									
	Contact resistance of main contact										
		Initial 100mΩ N	100mΩ MAX.	5	mΩ	20.01	20.2	19.8	Pass		
		After testing	100mΩ MAX.	<	11122	19.63	19.8	19.4	Pass		
	Contact resistance of ground contact										
		Initial	100mΩ MAX.	5	mΩ	7.00	7.3	6.8	Pass		
		After testing	100mΩ MAX.	3		8.18	8.6	7.7	Pass		
	Ins	ulation residence									
		After testing	10MΩ MIN.	5	МΩ	1,000ΜΩ	MIN.		Pass		
Appearance											
		Spec: No abnormality adversely affecting the performance shall occur.									
		After testing	-	5	-	No abnor	mality		Pass		


Н	Dry Heat										
	Contact resistance of main contact										
	Initial	100mΩ MAX.	5	mΩ	19.69	20.1	19.1	Pass			
	After testing	100mΩ MAX.	3	11175	18.99	19.4	18.5	Pass			
	Contact resistance of ground contact										
	Initial	100mΩ MAX.	5	mΩ	6.99	7.2	6.8	Pass			
	After testing	100mΩ MAX.			7.04	7.4	6.8	Pass			
	Insulation residence										
	After testing	10MΩ MIN.	5	МΩ	1,000ΜΩ	MIN.		Pass			
	Appearance										
	Spec: No abnorma	lity adversely a	ffecting	the perf	ormance s	shall occ	ur.				
	After testing	_	5	-	No abnor	mality		Pass			


Table 2-3 Test Result

Group	Test	items					Data		
		Measurements	Specification	n	Unit	AVE.	MAX.	MIN.	Judgement
J	Cold								
	Con	tact resistance of m	nain contact						
		Initial	100m $Ω$ MAX.	5	mΩ	18.93	19.2	18.7	Pass
		After testing	100m $Ω$ MAX.	Э		21.05	24.3	19.5	Pass
	Contact resistance of ground contact								
		Initial 100m Ω MAX.	5	mΩ	6.90	7.0	6.7	Pass	
		After testing	100m $Ω$ MAX.	5	11175	6.79	7.1	6.5	Pass
	Inst	ulation residence							
		After testing	10M Ω MIN.	5	МΩ	1,000ΜΩ	MIN.		Pass
	App	earance							
		Spec: No abnormal	ity adversely a	ffecting	the perf	ormance s	shall occ	ur.	
		After testing	-	5	-	No abnor	mality		Pass


K	Humi	dity (Steady State)								
	Contact resistance of main contact									
		Initial	100m $Ω$ MAX.	5	m0	19.59	20.2	18.3	Pass	
		After testing	100m $Ω$ MAX.	5	mΩ	18.92	19.8	17.6	Pass	
	Contact resistance of ground contact									
		Initial 100ms	100m $Ω$ MAX.	5	mΩ	6.85	7.1	6.6	Pass	
		After testing	100m $Ω$ MAX.	3		6.67	7.1	6.4	Pass	
	Insu	llation residence								
		After testing	10M Ω MIN.	5	МΩ	1,000ΜΩ	MIN.		Pass	
	App	earance		•		•		•		
		Spec: No abnormal	ity adversely a	ffecting	the perf	ormance s	shall occ	ur.		
		After testing	-	5	-	No abnor	mality		Pass	

L	Salt	Salt water spray								
	Ap	Appearance								
		Spec: No abnormality adversely affecting the performance shall occur.								
		After testing	-	5	-	No abnormality	Pass			







(Graph 1) VSWR





(Graph 2) Unmating force







(Graph 3) Durability







(Graph 4) Cable retention force





(Graph 5) Vibration / Shock







(Graph 6) Thermal Shock


Confidential C










(Graph 7) Dry heat





(Graph 8) Cold





(Graph 9) Humidity

Confidential C

