

ISFIT[®]

Wire-to-Board/Board-to-Board 4 points spring contact press-fit terminal



Product Specifications:

Operating Temperature	-40 - 125°C
Material	-40 - 85°C : NB109-EH Reflow Sn plating (0.8-1.5 μm) -40 - 125°C : C7025-TM02 Reflow Sn (0.8-1.5 μm)
Through-hole Size	φ1.00 ± 0.05 mm, φ1.20 ± 0.05 mm, φ1.60 ± 0.05 mm (Cu plating 25 μm or thicker)
Vibration Resistance	20 G (depends on insertion condition to PCB)
Current Rating	5A (depends on size of terminal)



Photos/Drawings shown on this page are the model case of assembled connector with ISFIT terminals. We offer the customized connectors using this terminal upon request, [please contact us for more details.](#)

► Unique 4 points spring Contact




Conventional "Needle Eye" Terminal

► Eliminates damage to PCB


Through-hole damage comparison

ISFIT[®]



0.01mm

Conventional



0.05mm

Plating peeling/damage

40N/pin max. low insertion force with spring contact design


► Through-hole center alignment

ISFIT[®]



Center position aligned

Conventional



Center position misalignment

..... Terminal center
..... Through-hole center

Custom Products Available


RF Connector

MHF® series



Micro-coaxial/Twinax/Discrete Wire Connector

CABLIN® series




Optical Module

LIGHTPASS® series



NOVASTACK® series



Board-to-Board Connector



Power Connector/Terminal

AP series

ISH® series



MINIFLEX® series

EVAFLEX® series




FPC FFC Connector



Inquiry



MINIDOCK® series



I/O Connector

I-PEX, MHF, CABLINE, LIGHTPASS, NOVASTACK, ISH, IARPB, MINIFLEX, EVAFLEX, MINIDOCKS and ZenShield are registered trademarks of I-PEX Inc. Please note that the contents in the catalog might be changed without prior notification. I-PEX Inc. assumes no responsibility for any inaccuracies or obligation to update information on these documents. Please be sure to read and understand the latest "Precautions for Use" and "Instruction Manual" before you use our products. We shall not be responsible for any defects, damages or troubles in case you use our products without following the precautions for use. Please feel free to contact our sales representatives when you use our products for any applications that require very high reliability and safety, or that relate to human life (ex. nuclear power control, aerospace, transportation, medical equipment, safety equipment etc.).

Contact your sales representative or more detailed information.

www.i-pex.com



I-PEX

© I-PEX Inc. 2024
All rights reserved