


PART No.	Pos.	TEST BOARD No.	CONNECTOR P/N
91784-005B	5	TB-1490	20854-005E-02
91784-010B	10		20854-010E-02
91784-012B	12		20854-012E-02

5P : 91784-005B







DETAIL A : CONNECTOR
(S= 5 : 1)



DETAIL B : TEST POINT
(S= 5 : 1)



DETAIL C
(S= 10 : 1)



PIN ASSIGNMENT

CONNECTOR POS.		TEST POINT POS.
1		1
2		2
⋮	⋮	⋮
N-1		N-1
N		N
SHELL(GND)		SHELL(GND)

NO.	DESCRIPTION	PART NO.	QTY	REMARKS
2	CONNECTOR	20854-005E-02	1	CABLINE-UY RECEPTACLE ASSEMBLY
1	TEST BOARD	TB-1490	1	TEST BOARD THICKNESS: 0.80mm NUMBER OF LAYER : 2 BASE COPPER FOIL THICKNESS : 18 μm

NOTES.
1.APPLICABLE PLUG CONNECTOR: CABLINE-UY PLUG(P/N: 20857-005T-01)
2.TEST BOARD MATERIAL : FR-4

REV.	ECN	BY	DATE	APP.
0	ZC01072	R.H	2026/10/19	–

REVISION RECORD


ANGLE	±2°	6 OVER 30 MAX.	±0.3	PROJECTION
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5	SERIES No. R0
GENERAL TOLERANCE.				CUSTOMER COPY


DWG. R.Hatano	DATE 2026/10/19	TITLE CABLINE®-UY CONTINUITY TEST BOARD ASSEMBLY	SCALE 2:1
CHK. T.Tanigawa			UNIT mm
APP. T.Masunaga		DWG. No. 91784	SIZE A3 / SHEET 1/4 / REV. 0

I-PEX


PART No.	Pos.	TEST BOARD No.	CONNECTOR P/N
91784-005B	5	TB-1490	20854-005E-02
91784-010B	10		20854-010E-02
91784-012B	12		20854-012E-02

10P : 91784-010B







DETAIL D : CONNECTOR
(S= 5 : 1)



DETAIL E : TEST POINT
(S= 5 : 1)



DETAIL F
(S= 10 : 1)



PIN ASSIGNMENT

CONNECTOR POS.		TEST POINT POS.
1		1
2		2
⋮	⋮	⋮
N-1		N-1
N		N
SHELL(GND)		SHELL(GND)


NO.	DESCRIPTION	PART NO.	QTY	REMARKS
2	CONNECTOR	20854-010E-02	1	CABLINE-UY RECEPTACLE ASSEMBLY
1	TEST BOARD	TB-1490	1	TEST BOARD THICKNESS: 0.80mm NUMBER OF LAYER : 2 BASE COPPER FOIL THICKNESS : 18 μm


NOTES.
1.APPLICABLE PLUG CONNECTOR: CABLINE-UY PLUG(P/N: 20857-010T-01)
2.TEST BOARD MATERIAL : FR-4

ANGLE	±2°	6 OVER 30 MAX.	±0.3	PROJECTION	SERIES No. R0
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5		CUSTOMER COPY
GENERAL TOLERANCE.				TITLE: CABLINE®-UY CONTINUITY TEST BOARD ASSEMBLY	SCALE 2:1
DWG.	DATE				UNIT mm
CHK.					I-PEX
APP.				DWG. No. 91784	SIZE A3 / SHEET 2/4 / REV. 0


PART No.	Pos.	TEST BOARD No.	CONNECTOR P/N
91784-005B	5	TB-1490	20854-005E-02
91784-010B	10		20854-010E-02
91784-012B	12		20854-012E-02

12P : 91784-012B






DETAIL G : CONNECTOR
(S= 5 : 1)




DETAIL H : TEST POINT
(S= 5 : 1)



DETAIL J
(S= 10 : 1)

PIN ASSIGNMENT

CONNECTOR POS.		TEST POINT POS.
1		1
2		2
⋮	⋮	⋮
N-1		N-1
N		N
SHELL(GND)		SHELL(GND)




NOTES.
1.APPLICABLE PLUG CONNECTOR: CABLINE-UY PLUG(P/N: 20857-012T-01)
2.TEST BOARD MATERIAL : FR-4


NO.	DESCRIPTION	PART NO.	QTY	REMARKS
2	CONNECTOR	20854-012E-02	1	CABLINE-UY RECEPTACLE ASSEMBLY
1	TEST BOARD	TB-1490	1	TEST BOARD THICKNESS: 0.80mm NUMBER OF LAYER : 2 BASE COPPER FOIL THICKNESS : 18μm

ANGLE ±2°	6 OVER 30 MAX. ±0.3	PROJECTION	SERIES No.	CUSTOMER COPY	
6 MAX. ±0.2	30 OVER 120 MAX. ±0.5		R0		
GENERAL TOLERANCE.		TITLE	SCALE		
DWG. DATE		CABLINE®-UY CONTINUITY TEST BOARD ASSEMBLY	2:1	I-PEX	
CHK.			UNIT mm		
APP.		DWG. No. 91784	SIZE A3	SHEET 3/4	REV. 0

PART No.	Pos.	TEST BOARD No.	CONNECTOR P/N
91784-005B	5	TB-1490	20854-005E-02
91784-010B	10		20854-010E-02
91784-012B	12		20854-012E-02




<FRONT>



<BACK>

<SAMPLE BAG>
REUSABLE PLASTIC BAG



PACKING STYLE

ANGLE	±2°	6 OVER 30 MAX.	±0.3	PROJECTION	SERIES No.	CUSTOMER COPY	
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5		R0		
GENERAL TOLERANCE.				TITLE		SCALE	
DWG.	DATE			CABLINE®-UY CONTINUITY TEST BOARD ASSEMBLY		1:1	I-PEX
CHK.						UNIT mm	
APP.				DWG. No.		SIZE	SHEET / REV.
				91784		A3	4/4 / 0