




PIN COUNT	HOUSING ASSEMBLY PARTS NO.	SHELL-A PARTS NO.	LOCK COVER PARTS NO.
20	20878-020T-01	3488-0201	3493-0201
30	20878-030T-01	3488-0301	3493-0301
40	20878-040T-01	3488-0401	3493-0401
50	20878-050T-01	3488-0501	3493-0501
60	20878-060T-01	3488-0601	3493-0601
70	20878-070T-01	3488-0701	3493-0701



SHELL SOLDERING POINTS



					ANGLE	±2°	6 OVER 30 MAX.	±0.3		SERIES No. —	CUSTOMER COPY			
					6 MAX.	±0.2	30 OVER 120 MAX.	±0.5						
					GENERAL TOLERANCE.				TITLE COMMON STANDARD FOR CABLIN [®] —UM HARNESS			SCALE	I-PEX	
					DWG.	DATE						5:1		
					K.Baba			2026/07/17				UNIT		
					CHK.				mm					
0	ZM01084	K.B	2026/07/17	—	R.Takei									
REV.	ECN	BY	DATE	APP.	APP.				DWG. No.			SIZE	SHEET	REV.
REVISION RECORD					T.Masunaga				82757			A3	1/3	0

PIN COUNT	HOUSING ASSEMBLY PARTS NO.	SHELL-A PARTS NO.	LOCK COVER PARTS NO.
20	20878-020T-01	3488-0201	3493-0201
30	20878-030T-01	3488-0301	3493-0301
40	20878-040T-01	3488-0401	3493-0401
50	20878-050T-01	3488-0501	3493-0501
60	20878-060T-01	3488-0601	3493-0601
70	20878-070T-01	3488-0701	3493-0701

SHELL SOLDERING POINTS




ANGLE	±2°	6 OVER 30 MAX.	±0.3		SERIES No.	CUSTOMER COPY			
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5		—				
GENERAL TOLERANCE.					TITLE COMMON STANDARD FOR CABLINE® -UM HARNESS		SCALE		
DWG.	DATE						5:1		
CHK.							UNIT		
APP.							mm		
				DWG. No.	82757	SIZE	SHEET	REV.	
						A3	2/3	0	

PIN COUNT	HOUSING ASSEMBLY PARTS NO.	SHELL-A PARTS NO.	LOCK COVER PARTS NO.
20	20878-020T-01	3488-0201	3493-0201
30	20878-030T-01	3488-0301	3493-0301
40	20878-040T-01	3488-0401	3493-0401
50	20878-050T-01	3488-0501	3493-0501
60	20878-060T-01	3488-0601	3493-0601
70	20878-070T-01	3488-0701	3493-0701

SHELL SOLDERING POINTS

70P



【INSTRUCTION MANUAL】
TO HANDLE THIS CONNECTOR
YOU MUST READ AND FOLLOW THE INSTRUCTION MANUAL BELOW.
I-PEX INSTRUCTION MANUAL No.HIM-18033.

ANGLE	±2°	6 OVER 30 MAX.	±0.3	PROJECTION	SERIES No.	CUSTOMER COPY		
6 MAX.	±0.2	30 OVER 120 MAX.	±0.5	⊕	—			
GENERAL TOLERANCE.				TITLE		SCALE	I-PEX	
DWG.		DATE		COMMON STANDARD FOR CABLINE® -UM HARNESS		5:1		
CHK.						UNIT		
APP.						mm		
				DWG. No.		SIZE	SHEET	REV.
				82757		A3	3/3	0