

# CABLINE®-CA RECE. ASS'Y

Part No. 20525-#\*\*E-0#

## Packing Standard

12	S20610	August 16, 2020	T.Ono	T.Masunaga	H.Ikari
11	S20433	August 20, 2020	Y.Sasa	-	H.Ikari
10	S19535	September 17, 2019	Y.Sasa	T.Masunaga	H.Ikari
9	S18413	June 29, 2018	M.Nakamura		Y.Shimada
Rev.	ECN	Date	Prepared by	Checked by	Approved by

## 1. Product Name(s) and Parts Number(s)

Product Name	Part Number
CABLINE-CA RECE.	20525-##*E-0#
CABLINE-CA RECE. TYPE-U	20738-0**E-0#

## 2. Packing Material and Part Number






Pos.	Emboss Tape		Reel		Packing Carton
	Width	Thickness	Diameter	Width	Outer Dimension
10 P	24.0	2.1	φ380	29.4	406×406×214 OUTER
12 P					
20 P					
30 P	32.0			37.4	
40 P					
50 P					
60 P	44.0			49.4	

Pos.	Plastic Bag	Desiccant
	SIZE	QUANTITY (1 BAG)
10 P	700 x 600	1
12 P		
20 P		
30 P		
40 P		
50 P		
60 P		

## 3. Packing Quantity

Pos.	Pieces per Reel	Quantity Per Packing Carton
10 P	5000	5000 × 5 = 25000 (5 reels)
12 P		
20 P		
30 P		5000 × 4 = 20000 (4 reels)
40 P		
50 P		
60 P		5000 × 3 = 15000 (3 reels)

## 4. Label

P/N	①	CHECK	⑧  ⑥ PS 料带封带  ⑦ PET 捆包料带  ⑨ PS 
QTY	②	⑤	
LOT	③		
 ⑤ ⑩	NAME:	REMARK	
	④ MADE IN ***** ← ⑦ ⑨	RoHS Compliant	

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Recycle Mark and Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture Name

## 5. Packing Method [See Fig.1.]




Fig.1