

CABLINE®-CA RECE. ASS'Y

Part No. 20525-#**E-0##

Packing Standard

15	S24438	October 29, 2024	K.Tanabe	M.Nakamura	T.Masunaga
14	S24435	October 28, 2024	K.Tanabe	-	T.Masunaga
13	S24417	October 9, 2024	H.Uchida	M.Nakamura	T.Masunaga
12	S20610	August 16, 2020	T.Ono	T.Masunaga	H.Ikari
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1. Product Name(s) and Parts Number(s)

Product Name	Part Number
CABLINE-CA RECE.	20525-##*E-0##

2. Packing Material and Part Number


Pos.	Emboss Tape		Reel		Packing Carton
	Width	Thickness	Diameter	Width	Outer Dimension
10 P	24.0	2.1	φ380	29.4	406×406×214 OUTER
12 P					
20 P					
30 P	32.0			37.4	
40 P					
50 P					
60 P	44.0	49.4			

Pos.	Plastic Bag	Desiccant
	SIZE	QUANTITY (1 BAG)
10 P	700 x 600	1
12 P		
20 P		
30 P		
40 P		
50 P		
60 P		

3. Packing Quantity

Pos.	Pieces per Reel	Quantity Per Packing Carton
10 P	5000	5000 × 5 = 25000 (5 reels)
12 P		
20 P		
30 P		5000 × 4 = 20000 (4 reels)
40 P		
50 P		5000 × 3 = 15000 (3 reels)
60 P		

4. Label

P/N	①	CHECK	⑧ 梱包卷盘 06 PS 料带封带 01 PET 捆包料带 06 PS HF
QTY	②	⑥	
LOT	③		
⑤ 	NAME:	REMARK	
	④	RoHS Compliant	
⑩	MADE IN ***** ← ⑦	⑨	

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Recycle Mark and Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture Name

5. Packing Method [See Fig.1.]




Fig.1