

CABLINE®-CBL PLUG HOUSING ASS'Y

Part No. 20473-0**T-10#

Packing Standard

6	S22065	February 14, 2022	T.Ono	T.Masunaga	H.Ikari
5	S15546	November 20, 2015	R.H	-	K.N
4	S14471	November 24, 2014	S.H	-	Tom
3	S12032	January 25, 2012	Y.W	-	E.K
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1. Product Name(s) and Part Number(s)

CABLINE-CBL PLUG HOUSING ASS'Y : 20473-0**T-10#

2. Packing Material and Part Number

Pos.	TRAY P/N 950268				SHIPPING CARTON P/N 950001	PACKING CARTON P/N 950000
	MEASURE	POCKET WIDTH (REFER FIG.2)	DEPTH	POCKET QTY.		
30P	360×165	29.0×8.0	3.5	100	373×166×84 Inner	406×406×214 Outer
40P		(Refer to FIG.2)		(Total)		

Pos.	PLASTIC BAG P/N 950524	DESICCANT
	SIZE	QUANTITY (1 BAG)
30P	460×305	3g×1
40P		

3. Packing Quantity

Pos.	QTY. IN DITCH	QTY. IN TRAY	QTY. IN SHIPPING CARTON (TRAY QTY.)	QTY. IN PACKING CARTON (S CARTON QTY.)
30P	1	100	2,000 (20 Trays)	8,000 (4 Boxes)
40P				

4. Label

The diagram shows a rectangular label with the following layout:

- Top Left:** Fields for P/N, QTY, and LOT.
- Top Middle:** Field for Part Name (④) with a 'RoHS Compliant' logo.
- Top Right:** Field for CHECK (⑥).
- Bottom Left:** QR Code (⑤).
- Bottom Middle:** Field for 'MADE IN *****' (⑦) with an arrow pointing to the country of origin.
- Bottom Right:** Field for REMARK (⑨).
- External Elements:**
 - ⑧: Recycle mark with '06' and 'PS' (托盤).
 - ⑩: 'HF' logo.

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Recycle Mark and Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture

5. Packing Method

Direction of products putting in tray.




Fig.1

[NOTE] Piling the tray to the same direction and putting a lid on the tray with empty tray.

※ Move metal shell downward, and pack it.




Fig.2




Fig.3

- ※ If operator pulls up the rubber band when they take out parts, there is possibility that tray bundle loosen and the parts drop out. Please note the taking up method.

