

CABLINE®-CX II Plug Housing Ass'y

Part No. 20974-040T-01

Packing Standard

1	S19510	September 4, 2019	S.Yamaguchi	T.Kurachi	H.Ikari
0	S17743	October 6, 2017	R.Hoshino	T.Yayoshi	M.Takemoto
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1. Product Name : CABLINE-CX II Plug Housing Ass'y

Parts No. : 20974-040T-01

2. PACKING MATERIAL




TRAY P/N 950476				SHIPPING CARTON P/N 950001	PACKING CARTON P/N 950000
MEASURE	POCKET WIDTH Fig.2	DEPTH	POCKET QUANTITY		
360 × 165	19.0 × 4.2	1.8	200 (TOTAL)	385 × 175 × 90 OUTER	406 × 406 × 214 OUTER

PLASTIC BAG P/N 950524	DESICCANT
SIZE	QUANTITY (1 BAG)
460 × 305	3 g × 1

3. PACKING QUANTITY

QUANTITY IN DITCH	QUANTITY IN TRAY	QUANTITY IN SHIPPING CARTON (TRAY QUANTITY)	QUANTITY IN PACKING CARTON (SHIPPING CARTON QUANTITY)
1	200	4,000 (20 TRAYS)	16,000 (4 BOXES)

4. LABEL

20090909011300-00001		
P/N	①	CHECK
Q'TY	②	⑦
LOT	③	
	NAME: ④	REMARK
	MADE IN <input type="text"/> ⑤  	
DAI-ICHI SEIKO CO.,LTD.		

托盘
05
PP

HF

... Part number : Ex. 20974-040T-01

... Quantity

... Products lot No. :

It consists of from ten figures.(See below.)

Y Y M M D D N N N N
A B C D

A : Year (two figures)

B : Month (two figures)

C : Day (two figures)

D : It is code No. that DAI-ICHI SEIKO uses. (four figures)

Example : 170314J010

It means that the Product was manufactured on Mar./14/2017

... Item : Ex. CABLINE-CX II PLUG HOUSING ASS'Y

... Production country

... QR code

... Check stamp

Direction of products putting in tray.




Fig. 1

[NOTE] Piling the tray to the same direction and putting a lid on the tray with empty tray.

*Move metal shell downward, and pack it.














Fig. 2



OR



*If operator pulls up the rubber band when they take out parts, there is possibility that tray bundle loosen and the parts drop out.
Please note the taking up method.

