

CABLINE®-CX II PLUG LOCK BAR ASSEMBLY

Part No. 20975-040T-01

Packing Standard

Rev.	ECN	Date	Prepared by	Checked by	Approved by
2	S24156	May 7, 2024	T.Ono	T.Tanigawa	H.Ikari
1	S19511	September 4, 2019	S.Yamaguchi	T.Kurachi	H.Ikari
0	S17744	October 6, 2017	R.Hoshino	T.Yayoshi	M.Takemoto

CABLINE-CX II PLUG LOCK BAR ASSEMBLY Packing Standard

Document No.
PST-17123-C02EN

1. Product Name(s) and Part Number(s)

Product Name	Part Number
CABLINE-CX II PLUG LOCK BAR ASSEMBLY	20975-040T-01

2. Packing Material and Part Number

Pos.	Tray				Shipping Carton	Packing Carton
	950268				950001	950000
	Outer Dimension	Pocket			Outer Dimension	Outer Dimension
	Width	Depth	Number of Pockets	W×D×H	W×D×H	
40P	360 x 165	29.0 × 8.0	3.5	100	385 x 175 x 90	406 x 406 x 214

Pos.	Plastic Bag	Desiccant
	950524	
	Outer Dimension	Quantity (1 Bag)
	W×D	
40P	460 x 305	3g x 1

3. Packing Quantity

Pos.	Piece per Pocket	Pieces per Tray	Quantity per Shipping Carton	Quantity per Packing Carton
40P	1	100	2,000 (20 Trays)	2,000 × 4 = 8,000 (4 Boxes)

4. Label

The diagram shows a rectangular label with the following layout:

- Top Left:** Fields for P/N, QTY, and LOT.
- Top Right:** A 'CHECK' field with a stamp area (6).
- Bottom Left:** A QR code (5) and a 'MADE IN *****' field (7).
- Bottom Middle:** A 'NAME:' field (4) and a 'RoHS Compliant' logo (9).
- Bottom Right:** A 'REMARK' field.
- External Elements:** A recycle symbol (8) with '托盘 05 PP' text, and an 'HF' logo (10).

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Recycle Mark and Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture Name

5. Packing Method

Direction of products putting in tray.




Fig.1

[Note] Piling the tray to the same direction and putting a lid on the tray with empty tray.





Fig.2




Fig.3

※If operator pulls up the rubber band when they take out parts, there is possibility that tray bundle loosen and the parts drop out.

Please note the taking up method.

