

# CABLINE®-UMF PLUG SHELL-A

Part No. 3912-0\*\*1

## Packing Standard

0	S25148	April 1, 2025	T.Ono	M.Nakamura	T.Masunaga
Rev.	ECN	Date	Prepared by	Checked by	Approved by

# CABLINE-UMF PLUG SHELL-A Packing Standard

Document No.  
PST-25011-C00EN

## 1. Product Name(s) and Part Number(s)

Product Name	Part Number
CABLINE-UMF PLUG SHELL-A	3912-0**1

## 2. Packing Material and Part Number

Pos.	Reel		Packing Carton
	Diameter	Width	Outer Dimension
40P	φ380	59.0	950229
70P			950000
			406×406×214
			Outer

## 3. Packing Quantity

Pos.	Reel Quantity	Pieces per Reel	Quantity per Packing Carton
40P	3 Reels	5,000	5,000 × 3 = 15,000
70P			

## 4. Label

P/N	①	CHECK	⑧  捆包卷盘 WPP  层间纸 WPP 
QTY	②	⑥	
LOT	③	REMARK	
 ⑤ ⑩	NAME: ④ RoHS Compliant ⑨ MADE IN ***** ← ⑦		

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Recycle Mark and Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture

## 5. Packing Method

### 5-1 Packing of Reel

- (1) Coiling of shell to reel follow as shown Fig.1.
- (2) Coiling quantity is 5,000 in reel.




Fig.1




Fig.2

## 5-2 Packing of P Carton




Fig.3

[Note]

Connection of carrier: 1 connection MAX. / reel

To write the label "ONE CONNECTION", when we connect the carrier.

There must be at least two turns of coiling paper between the first and the second carrier.




Fig.4 Connection of Carrier