

ISH®VW CONNECTOR MALE CONNECTOR

Packing Standard

0	RS0820	March 18, 2021	H. Naoi	S.Tono	E.Kawabe
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1. Product name and part number

Poles	Part number	Key coding	Lock type
8P	V0031-008B-201	A	Inertia
	V0031-008B-202	B	Inertia


2. Packing material

Poles	Part number	Packing bag	Packing carton (Inner carton)	Packing carton (Outer carton)
		Outer dimension (W×D) [mm]	Outer dimension (W×D×H) [mm]	Outer dimension (W×D×H) [mm]
8P	V0031-008B-20*	200 x 340	175×385×90	409×409×214

3. Packing quantity

Poles	Part number	Pieces per packing bag	Quantity per packing carton	Quantity per packing carton
		[pcs]	(Inner carton) [pcs]	(Outer carton) [pcs]
8P	V0031-008B-20*	200	200 × 2 bags= 400	200 × 2 bags × 4 cartons = 1,600

4. Label



- ① Part number
- ② Quantity
- ③ Ten digits product lot number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Note 1			

Note 1: Code for plant usage.

- ④ Product name (addr.)
- ⑤ QR code
- ⑥ Check stamp
- ⑦ Country of origin
- ⑧ Recycle mark and compliance mark

5. Packing method




Fig.1. Packing bag




Fig.2. Packing inner carton




Fig.3. Type of packing (Inner carton)




Fig.4. Packing outer carton




Fig.5. Type of packing (Outer carton)