

ISH® HYBRID HORIZONTAL
MALE ASSEMBLY

Packing Standard

1	S26279	July 31, 2026	K. Tanaka	K.Tsusu	T.Takeda
0	RS0942	June 14, 2023	Y. Nishimura	J. Mukunoki	J. Tateishi
Rev.	ECN	Date	Prepared by	Checked by	Approved by

ISH HYBRID HORIZONTAL MALE ASSEMBLY Packing Standard

Document No.
PKS-0054-C01EN

1. Product name(s) and part number(s)

Product name	Part number	Key coding	Lock type
ISH HYBRID HORIZONTAL MALE ASSEMBLY 20P	V0123-020E-01	A	Inertia
	V0123-020E-11	B	Inertia
	V0123-020E-02	A	Inertia
ISH HYBRID HORIZONTAL MALE ASSEMBLY 28P	V0123-028E-01	-	Normal

2. Packing Material and Part Number

Poles	Part number	Emboss tape		Reel		Packing carton
		Width	Thickness	Diameter	Width	Outer dimension
		[mm]	[mm]	[mm]	[mm]	(W×D×H) [mm]
20P	V0123-020E-**	56	13	380	60	406 x 406 x 214
28P	V0123-028E-01	56	13	380	60	406 x 406 x 214

3. Packing quantity

Poles	Pieces per reel [pcs]	Quantity per packing carton [pcs]
20P	200	200 × 3 reels = 600
28P	200	200 × 3 reels = 600

4. Label

P/N	①	PC	CHECK	⑧	
Q' TY	②		⑩		⑥
LOT	③				
 ⑤	NAME :		REMARK		
	④		RoHS Compliant		
	⑨				
MADE IN *****← ⑦		I-PEX			

I-PEX Inc.

- ① Part number
- ② Quantity
- ③ Ten digits product lot number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Note 1			

Note 1: Code for plant usage.

- ④ Product name (abbr.)
- ⑤ QR code
- ⑥ Check stamp
- ⑦ Country of origin
- ⑧ Recycle mark and compliance mark
- ⑨ Internal Management Number1 1 (reel only)
- ⑩ Internal Management Number 2 (reel only)

5. Packing style





Fig1. Emboss tape

View-A : Feed direction






Fig.2 Packing style