

MHF® series cable ass’y
O.D.φ0.48mm, 0.64mm

Packing Standard

6	S22281	June 24, 2022	N. Miyashiro	K. Ikeshita	Y. Hashimoto
5	S22129	March 24, 2022	N. Miyashiro	K. Ikeshita	Y. Hashimoto
4	S22082	February 22, 2022	T. Takuno	K. Yufu	Y. Hashimoto
3	S19258	April 19, 2019	K. Ikeshita	J. Tonai	Y. Hashimoto
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1 Product Parts Number

Product Name

Part Number

Refer to Table 1

8 * * * * *

8- * * - * * *

8- * * - * * *

Table 1 Notation system of Product Name

MHF○-○ CABLE△△△-□+★CMP-※-◎

MHF○-○ CABLE△△△-□+★STP-◎

○ ... write in I,II,III,4,II + III etc (Style of connector)

△△△... write in 081,132,137, etc (Style of cable diameter)

□ ... write in 1,2,3, etc (Direction of connector)

★ ... write in 1,2,3, etc (QTY of cable clamp or strip)

※ ... write in "A" or "B"(Type of width of cable clamp)

→A : Cable clamp of width of 3mm B : Cable clamp of width of 6mm

◎ ... write in "H" or noting is written ("H" is Non Halogen)

CMP: Cable clamp

STP: Strip

2. Packing Material

Plastic Bag

Shipping Carton

Packing Carton

Outer Dimension

Outer Dimension

Outer Dimension

W×D×H

W×D×H

W×D×H

— 175×385×90

406 x 406 x 214

3. Packing Quantity

※For O.D. φ0.48, 0.64mm

Cable length L [mm]	Pieces per Plastic Bag	Pieces per Shipping Carton	Quantity Per Packing Carton
$L \leq 50$	100	7,500	30,000
$50 < L \leq 100$	100	6,000	24,000
$100 < L \leq 200$	100	4,000	16,000
$200 < L \leq 300$	100	3,000	12,000
$300 < L \leq 400$	50	2,000	8,000
$400 < L \leq 500$	50	1,700	6,800
$500 < L \leq 600$	50	1,400	5,600
$600 < L \leq 800$	50	1,000	4,000
$800 < L \leq 999$	50	750	3,000
$999 < L \leq 3000$	50	250	1,000

4. Label

4.1 Put a label on the designated place of S CARTON and P CARTON.

P/N	①	CHECK
Q'TY	②	
LOT	③	
	NAME:	REMARK
	④	
MADE IN ***** ← ⑦		⑨

⑧

HF

⑩

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture Name

5. Packing style

	Cable length L[mm]	1 pack	1 shipping carton & 1 packing carton
Type-1,2,3,4,5	$L \leq 300$	Fig.1 or Fig.2	Fig.8,9,10,11,12,13
	$300 < L \leq 999$	Fig.4	
	$999 < L \leq 3000$	Fig.5	
Type-6	$L \leq 300$	Fig.3	
	$300 < L \leq 999$	Fig.6	
	$999 < L \leq 3000$	Fig.7	




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

6. Packing Method

6-1 Packing method to the shipping carton of product




Fig. 8

6-2.Packing method to Packing carton of Shipping carton

① At one shipping carton

(Quantity : A[pcs.])




Fig. 9

② At two shipping carton

(Quantity : B[pcs.])




Fig. 10

③ At three shipping carton

(Quantity : C[pcs.])




Fig. 11

④ At four shipping carton

(Quantity : D[pcs.])




Fig. 12

※ For O.D.φ0.48mm, 0.64mm

Quantity Cable length L[mm]	A	B	C	D
$L \leq 50$	7,500[pcs]	7,501~15,000[Pcs.]	15,001~22,500[Pcs.]	25,001~30,000[Pcs.]
$50 < L \leq 100$	6,000[pcs]	6,001~12,000[Pcs.]	12,001~18,000[Pcs.]	18,001~24,000[Pcs.]
$100 < L \leq 200$	4,000[pcs]	4,001~8,000[Pcs.]	8,001~12,000[Pcs.]	12,001~16,000[Pcs.]
$200 < L \leq 300$	3,000[pcs]	3,001~6,000[Pcs.]	6,001~9,000[Pcs.]	9,001~12,000[Pcs.]
$300 < L \leq 400$	2,000[pcs]	2,001~4,000[Pcs.]	4,001~6,000[Pcs.]	6,001~8,000[Pcs.]
$400 < L \leq 500$	1,700[pcs]	1,701~3,400[Pcs.]	3,401~5,100[Pcs.]	5,101~6,800[Pcs.]
$500 < L \leq 600$	1,400[pcs]	1,401~2,800 [Pcs.]	2,801~4,300[Pcs.]	4,301~5,500[Pcs.]
$600 < L \leq 800$	1,000[pcs]	1,001~2,000[Pcs.]	2,001~3,000[Pcs.]	3,001~4,000[Pcs.]
$800 < L \leq 999$	750[pcs]	751~1,500[Pcs.]	1,501~2,250[Pcs.]	2,251~3,000[Pcs.]
$999 < L \leq 3000$	250[pcs]	251~500[Pcs.]	501~750[Pcs.]	751~1,000[Pcs.]

6-3.Packing method of Packing carton




Fig. 13