

MHF® series cable ass’y
for O.D.φ0.81, 0.84, 0.95mm

Packing Standard

12	S26264	July 9, 2026	T. Takuno	-	K. Yufu
11	S22282	June 24, 2022	N. Miyashiro	K. Ikeshita	Y. Hashimoto
10	S22130	March 24, 2022	N. Miyashiro	K. Ikeshita	Y. Hashimoto
9	S21038	January 29, 2021	S.Taguchi		M. Takemoto
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1. Product Parts Number

Product Name

Part Number

Refer to Table 1

8 * * * * *

8 - * * - * * *

8 - * * - * * * - * *

Table 1 Notation system of Product Name

MHF○-○ CABLE△△△-□+★CMP-※-◎

MHF○-○ CABLE△△△-□+★STP-◎

CMP: Cable clamp

STP: Strip

○ ... write in I,II,III,4,II + III etc (Style of connector)

△△△... write in 081,132,137, etc (Style of cable diameter)

□ ... write in 1,2,3, etc (Direction of connector)

★ ... write in 1,2,3, etc (QTY of cable clamp or strip)

※ ... write in "A" or "B"(Type of width of cable clamp)

→A : Cable clamp of width of 3mm B : Cable clamp of width of 6mm

◎ ... write in "H" or noting is written ("H" is Non Halogen)

2. Packing Material

Plastic Bag

Shipping Carton

Packing Carton

Outer Dimension

Outer Dimension

Outer Dimension

W×D×H

W×D×H

W×D×H

— 175×385×90

406 x 406 x 214

3. Packing Quantity

※For O.D. φ0.81mm, 0.84mm, 0.95mm

Cable length L [mm]	Pieces per Plastic Bag	Pieces per Shipping Carton	Quantity Per Packing Carton
$L \leq 50$	100	5,000	20,000
$50 < L \leq 100$	100	3,000	12,000
$100 < L \leq 200$	100	2,500	10,000
$200 < L \leq 300$	100	1,500	6,000
$300 < L \leq 400$	50	1,250	5,000
$400 < L \leq 500$	50	1,000	4,000
$500 < L \leq 600$	50	850	3,400
$600 < L \leq 800$	50	650	2,600
$800 < L \leq 999$	50	500	2,000
$999 < L \leq 3000$	50	200	800

4. Label
- 4.1 Put a label on the designated place of S CARTON and P CARTON.

P/N	①	CHECK	⑧
QTY	②		
LOT	③		
	NAME:	REMARK	
	④		
MADE IN ***** ← ⑦		⑨	

⑩

HF

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Counrty of Origin
- ⑧ Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture Name

5. Packing style

	Cable length L[mm]	1 pack	1 shipping carton & 1 packing carton
Type-1,2,3,4,5	$L \leq 300$	Fig.1 or Fig.2	Fig.8,9,10,11,12,13
	$300 < L \leq 999$	Fig.4	
	$999 < L \leq 3000$	Fig.5	
Type-6	$L \leq 300$	Fig.3	
	$300 < L \leq 999$	Fig.6	
	$999 < L \leq 3000$	Fig.7	




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6

Fig.7

6. Packing method

6-1. Packing method to the shipping carton of product




Fig.8

6-2.Packing method to Packing carton of Shipping carton.

①At one shipping carton

(Quantity : A[pcs.])




Fig.9

②At two shipping carton

(Quantity : B[pcs.])




Fig.10

③At three shipping carton

(Quantity : C[pcs.])




Fig.11

④At four shipping carton

(Quantity : D[pcs.])




Fig.12

※For O.D.φ0.81mm, 0.84mm, 0.95mm

Quantity Cable length L[mm]	A	B	C	D
$L \leq 50$	~5,000[Pcs.]	5,001~10,000[Pcs.]	10,001~15,000[Pcs.]	15,001~20,000[Pcs.]
$50 < L \leq 100$	~3,000[Pcs.]	3,001~6,000[Pcs.]	6,001~9,000[Pcs.]	9,001~12,000[Pcs.]
$100 < L \leq 200$	~2,500[Pcs.]	2,501~5,000[Pcs.]	5,001~7,500[Pcs.]	7,501~10,000[Pcs.]
$200 < L \leq 300$	~1,500[Pcs.]	1,501~3,000[Pcs.]	3,001~4,500[Pcs.]	4,501~6,000[Pcs.]
$300 < L \leq 400$	~1,250[Pcs.]	1,251~2,500[Pcs.]	2,501~3,750[Pcs.]	3,751~5,000[Pcs.]
$400 < L \leq 500$	~1,000[Pcs.]	1,001~2,000[Pcs.]	2,001~3,000[Pcs.]	3,001~4,000[Pcs.]
$500 < L \leq 600$	~850[Pcs.]	851~1,700[Pcs.]	1,701~2,550[Pcs.]	2,551~3,400[Pcs.]
$600 < L \leq 800$	~650[Pcs.]	651~1,300[Pcs.]	1,301~1,950[Pcs.]	1,951~2,600[Pcs.]
$800 < L \leq 999$	~500[Pcs.]	501~1,000[Pcs.]	1,001~1,500[Pcs.]	1,501~2,000[Pcs.]
$999 < L \leq 3000$	~200[Pcs.]	201~400[Pcs.]	401~600[Pcs.]	601~800[Pcs.]

6-3. Packing method of packing carton




Fig.13