







| | |
|----------|--|
| PART NO. | PLATING |
| VT009-02 | Sn REFLOW |
| VT009-03 | CONTACT AREA : Au PLATING CRIMPING AREA : Sn REFLOW |




SECTION B-B




SECTION C-C



CARRIER
2 : 1




PART NO.: VT009-02




PART NO. : VT009-03
SECTION A-A
10 : 1

IDENTIFYING MARK




PART NO.: VT009-02

IDENTIFYING MARK




PART NO.: VT009-03

IDENTIFYING MARK



PART NO.: VT009-02

IDENTIFYING MARK



PART NO.: VT009-03

NOTE

1. APPLICABLE FEMALE HOUSING: ISH CONNECTOR SERIES
2. APPLICABLE CABLE SIZE: 0.3mm² / 0.5mm² (FINISHED ϕ 1.60mm MAX.)
3. COMPLY WITH ELV/RoHS.
4. TERMINAL CRIMP SPECIFICATION MUST BE COMPLIANT WITH HANDLING MANUAL 【HDM-0020】.

| | | | |
|-----|-------------|--------------|---|
| 2 | SPRING | COPPER ALLOY | VT009-02 PLATING : Sn REFLOW VT009-03 PLATING : Au PLATING |
| 1 | BODY | BRASS | VT009-02 PLATING : Sn REFLOW VT009-03 PLATING : Au PLATING CONTACT AREA : Au PLATING CRIMPING AREA : Sn REFLOW |
| NO. | DESCRIPTION | MATERIAL | FINISH/COLOR/REMARKS |

| | | | | | | |
|--------------------|---------------|------------------|---------------|---|-------------|---------------|
| ANGLE | $\pm 2^\circ$ | 6 OVER 30 MAX. | ± 0.3 | PROJECTION | SERIES No. | CUSTOMER COPY |
| 6 MAX. | ± 0.2 | 30 OVER 120 MAX. | ± 0.5 | | R6 | |
| GENERAL TOLERANCE. | 120 OVER | $\pm 0.5\%$ | TITLE | ISH [®] CONNECTOR FEMALE TERMINAL | | SCALE |
| DWG. | H. HAMACHI | DATE | Mar. /31/' 23 | | | 5:1 |
| CHK. | J. MUKUNOKI | DATE | Mar. /31/' 23 | | | UNIT |
| REV. | ECN | BY | DATE | APP. | J. TATEISHI | mm |
| REVISION RECORD | | | | APP. | J. TATEISHI | SIZE |
| | | | | Mar. /31/' 23 | CVT009 | A3 |
| | | | | | | SHEET |
| | | | | | | 1/1 |
| | | | | | | REV. |
| | | | | | | 0 |