






PART NO.
V0085-003E-001




- NOTES
- 1.APPLICABLE PART NO.
 - FEMALE HOUSING: V0037-91003-211
 - FEMALE TERMINAL: VT009-03
 - 2.COMPLY WITH ELV/RoHS.
 - 3.USE METAL MASK WHICH HAS A THICKNESS OF 0.15mm MIN. WHEN THE CONNECTOR IS MOUNTED ON THE PCB.
 - 4.POSITION NUMBERS ARE INDICATED.
 - 5.HANDLE OF PRODUCT IN COMPLIANCE WITH HANDLING MANUAL 【HDM-0020】



RECOMMENDED FOOTPRINT PATTERN LAYOUT
1:1



RECOMMENDED METAL MASK LAYOUT
1:1



MATING STATE
1:1

3	HOLD DOWN	BRASS	Sn REFLOW
2	MALE TERMINAL	BRASS	PLATING ALL Ni UNDER LAYER, CONTACT AREA : Au PLATING SMT AREA : Sn REFLOW
1	MALE HOUSING	GLASS-FILLED LCP	BLACK
NO.	DESCRIPTION	MATERIAL	FINISH/COLOR/REMARKS

0	S2352	H.H	May/22/'23	APP.	REVISION RECORD	ANGLE	±2°	6 OVER 30 MAX.	±0.3	PROJECTION	SERIES No.	CUSTOMER COPY
REV.	ECN	BY	DATE	APP.		6 MAX.	±0.2	30 OVER 120 MAX.	±0.5	⊕	R0	
						GENERAL TOLERANCE.	120 OVER	±0.5%		TITLE		SCALE
						DWG.	H. HAMACHI	DATE	May/22/'23	ISH® VS 3P		2:1
						CHK.	J. MUKUNOKI	DATE	May/22/'23	MALE CONNECTOR		UNIT
						APP.	J. TATEISHI	DATE	May/22/'23	DWG. No.		mm
										CV0085-003-G		SIZE
												SHEET
												1/1
												REV.
												0