










1		2		
PART NO.	LOCK TYPE	KEY CODING	COLOR	FOR REAR COVER
V0016-91012-211	NORMAL LOCK	KEY CODING-A	BLACK	N/A
V0016-91012-212	NORMAL LOCK	KEY CODING-B	NATURAL	N/A
V0016-91012-214	INERTIA LOCK	KEY CODING-C	NATURAL	N/A
V0016-91012-215	NORMAL LOCK	KEY CODING-A	BLACK	APPLICABLE
V0016-91012-216	INERTIA LOCK	KEY CODING-D	GRAY	APPLICABLE
V0016-91012-217	INERTIA LOCK	KEY CODING-B	BLUE	APPLICABLE
V0016-93012-211	INERTIA LOCK	KEY CODING-C	NATURAL	APPLICABLE










PART NO.:V0016-91012-211




					1	FEMALE HOUSING		PBT	BLACK								
					NO.	DESCRIPTION		MATERIAL	FINISH/COLOR/REMARKS								
10	S2204	K.T	Jan./17/'22	J.T	ANGLE	±2°	6 OVER 30 MAX.	±0.3			SERIES No.		CUSTOMER COPY				
9	S2155	H.H	Sep./01/'21	J.T	6 MAX.	±0.2	30 OVER 120 MAX.	±0.5			R5						
8	S1765	D.M	July/02/'19	J.T	GENERAL TOLERANCE.		120 OVER	±0.5%	TITLE ISH® CONNECTOR 12P FEMALE HOUSING		SCALE	I-PEX					
7	S1729	D.M	Apr./08/'19	J.T	DWG.	K. HANAKI		DATE			Sept. /30/' 14				5:1		
6	S1712	D.M	Mar./22/'18	J.T	CHK.	J. MUKUNOKI		DATE			Sept. /30/' 14				UNIT		
5	S1552	Y.S	June/25/'18	E.K		S. YAGI		DATE			Oct. /01/' 14				mm		
REV.	ECN	BY	DATE	APP.	APP.	T. ENDO		Oct. /01/' 14	DWG. No.		SIZE	SHEET	REV.				
REVISION RECORD									CV0016-91012		A3	1/2	10				

- NOTES
- 1.APPLICABLE PART NO.:
•FEMALE TERMINAL ... VT001-512
•FEMALE RETAINER ... V0016-92012-211
•REAR COVER ... V0016-94012-611
- 2.MATERIAL:PBT
- 3.COMPLY WITH ELV/RoHS.
- 4.HANDLE OF PRODUCT IN COMPLIANCE WITH HANDLING MANUAL【HDM-0002】
- 5.POSITION NUMBERS ARE INDICATED.

1		2		
PART NO.	LOCK TYPE	KEY CODING	COLOR	FOR REAR COVER
V0016-91012-211	NORMAL LOCK	KEY CODING-A	BLACK	N/A
V0016-91012-212	NORMAL LOCK	KEY CODING-B	NATURAL	N/A
V0016-91012-214	INERTIA LOCK	KEY CODING-C	NATURAL	N/A
V0016-91012-215	NORMAL LOCK	KEY CODING-A	BLACK	APPLICABLE
V0016-91012-216	INERTIA LOCK	KEY CODING-D	GRAY	APPLICABLE
V0016-91012-217	INERTIA LOCK	KEY CODING-B	BLUE	APPLICABLE
V0016-93012-211	INERTIA LOCK	KEY CODING-C	NATURAL	APPLICABLE



					ANGLE		±2°	6 OVER 30 MAX.		±0.3	PROJECTION 		SERIES No.		CUSTOMER COPY			
					6 MAX.		±0.2	30 OVER 120 MAX.		±0.5			R5					
					GENERAL TOLERANCE.		120 OVER		±0.5%	TITLE ISH® CONNECTOR 12P FEMALE HOUSING					SCALE	I-PEX		
					DWG.		K. HANAKI		DATE						Sept. /30/' 14			2:1
CHK.		J. MUKUNOKI		Sept. /30/' 14		UNIT mm												
		S. YAGI		Oct. /01/' 14														
REV.	ECN	BY	DATE	APP.	APP.		T. ENDO		Oct. /01/' 14		DWG. No.		CV0016-91012		SIZE	SHEET	REV.	
REVISION RECORD													A3		2/2		10	

QHM-E1A001-09-A3C Rev.1

CONFIDENTIAL C

I-PEX Inc.