

Product Summary and Mating type

Plug	Type	Slim Type	
		Right angle	
	Contact Type	2 Sequence	2 Sequence
	Part number	30029	30046
	Pin Count	80	160
	Mating rece.	30030	30047, 30056
	Dimensions(WD)	36.0 × 14.505 mm	62.0 × 9.9 mm
Appearance			

Standard Type	
Right angle	
Standard (All long pins)	All long pins Offset type
30001	30094
100, 240	200
30002	30007
100pin 51.65 × 16.9 mm 240pin 90.10 × 16.9 mm	83.4 × 9.90 mm

Mating combinations



Receptacle	Appearance			
	Type	Right angel		Vertical
	Part number	30030	30047	30056
	Pin Count	80	160	160
	Mating plug	30029	30046	30046
Dimensions(WD)	36.0 × 14.505 mm	62.0 × 9.7 mm	62.0 × 16.03 mm	

Appearance		
Type	Right angel	Vertical
Part number	30002	30007
Pin Count	100, 240	200
Mating plug	30001	30094
Dimensions(WD)	100pin 51.65 × 20.3 mm 240pin 90.10 × 20.3 mm	83.4 × 15.16 mm

I-PEX Product Series

[CLICK THE MATRIX](#)
to see latest product information



MHF[®] Series
RF Connectors

[Matrix >](#)



ISH[®] and IARPB[®] Series
Wire-to-Board Connectors

[Matrix >](#)



AP Series
Terminals

[Matrix >](#)



CABLINER[®] Series
Micro-Coaxial Connectors

[Matrix >](#)



NOVASTACK[®] Series
Board-to-Board Connectors

[Matrix >](#)



MINIDOCK[™] Series
I/O Connectors



DUALINE[®] Series
Twinax Connectors



EVAFLEX[®] Series
MINIFLEX[®] Series
FPC/FFC Connectors

[Matrix >](#)



LIGHTPASS[®] Series
Optical Modules

[Matrix >](#)



Please [contact us](#) for custom products.



I-PEX, MHF, CABLINE, NOVASTACK, EVAFLEX, MINIFLEX, ISH, IARPB, IASLP, ESTORQ, i-Fit and ISFIT are registered trademarks of I-PEX Inc. Please note that the contents in the catalog might be changed without prior notification. I-PEX Inc. assumes no responsibility for any inaccuracies or obligation to update Information on these documents. Please be sure to read and understand the latest "Precautions for Use" and "Instruction Manual" before you use our products. We shall not be responsible for any defects, damages or troubles in case you use our products without following the precautions for use. Please feel free to contact our sales representatives when you use our products for any applications that require very high reliability and safety, or that relate to human life (ex. nuclear power control, aerospace, transportation, medical equipment, safety equipment etc.).

Contact your sales representative for more detailed information. [i-pex.com]

I-PEX Inc.